Product datasheet

Specifications



AvatarOn, 4 switches, 16AX, 250V, 1 way, Dark Grey

E8334L1_DG

Main

Product Or Component Type	Switch	
Device Application	Control	
Load Type	Incandescent lamp Fluorescent lamp Inductive Resistive	
Colour Tint	Dark grey	
Colour Tint	nt Dark grey	

Complementary

Device Presentation	Complete product	
Rated Current	16 AX at 250 V AC 50/60 Hz	
Switch Function	1-pole 1-way	
Number Of Gangs	4 gangs	
Number Of Rocker	4	
Clamping Connection Capacity	3 x 2.5 mm ² for solid cable(s) 3 x 2.5 mm ² for stranded cable(s) 4 x 1.5 mm ² for solid cable(s) 4 x 1.5 mm ² for stranded cable(s)	
Connections - Terminals	Brass terminal	
Material	Polycarbonate: grid plate Polycarbonate: base Polycarbonate: dolly Polycarbonate: frame Polycarbonate + GF 20 %: actuator	
Device Mounting	Surface Flush	
Width	86 mm	
Height	86 mm	
Depth	34.2 mm	

Environment

Ip Degree Of Protection	IP20
Maximum Ambient Air Temperature For Operation	45 °C
Operating Altitude	2000 m
Relative Humidity	095 %
Environmental Characteristic	UV resistant

Excluding VAT, FCA Jabal Ali & are subject to change - check with your local distributor.

IEC 60669-1 SS 227-1 MS IEC 60669-1 BS EN 60669-1

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	8.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	128.0 g

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations