# FH202 AC-25/0,03





FH202 AC-25/0,03 Residual Current Circuit Breaker

\_

#### **General Information**

Extended Product Type	FH202 AC-25/0,03	
Product ID	2CSF202002R1250	
EAN	8012542891802	
Catalog Description	FH202 AC-25/0,03 Residual Current Circuit Breaker	
Long Description	The RCCBs FH200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in domestic applications.	

\_

#### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85363030

\_\_\_

#### Popular Downloads

Data Sheet, Technical Information	2CSC400030D0202
Instructions and Manuals	Printed on product

#### Dimensions

Product Net Width	0.035 m	
Product Net Height	0.085 m	
Product Net Depth / Length	0.069 m	
Product Net Weight	0.200 kg	

\_\_\_

#### Technical

Standards	IEC/EN 61008
Operating Characteristic	Instantaneous
Type of Residual Current	AC type
Rated Residual Current	30 mA
Rated Current (I <sub>n</sub> )	25 A
Number of Poles	2
Power Loss	at Rated Operating Conditions per Pole 1 W

\_\_\_

FH202 AC-25/0,03

2

#### Environmental

RoHS Status	Following EU Directive 2011/65/EU
RUHS Status	Following EO Directive 2011/05/EO

\_

#### Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK106713A5603
Environmental Information	Refer to RoHS
Instructions and Manuals	Printed on product
RoHS Information	2CSC423001K2702

\_

#### **Container Information**

Package Level 1 Units	1 piece
Package Level 1 Width	0.041 m
Package Level 1 Height	0.078 m
Package Level 1 Depth / Length	0.096 m
Package Level 1 Gross Weight	0.225 kg
Package Level 1 EAN	8012542891802

#### Classifications

Object Classification Code	Q
ETIM 4	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5	EC000003 - Residual current circuit breaker (RCCB)
ETIM 6	EC000003 - Residual current circuit breaker (RCCB)
ETIM 7	EC000003 - Residual current circuit breaker (RCCB)

#### Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Residual\ Current\ Devices\ RCDs\ \rightarrow\ Residual\ Current\ Devices\ RCDs$ 



ABB ABB2CSF202006R3400

## FH202 AC-40/0,3

Print View.. Print to Pdf..

**General Information** 

**Extended Product Type:** FH202 AC-40/0,3 2CSF202006R3400 **Product ID:** EAN: 8012542894902

**Catalog Description:** FH202 AC-40/0,3 - Residual Current Dev.

Long Description: The RCCBs FH200 series assures

> protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in

domestic applications.



#### **Categories**

Products » Low Voltage Products and Systems » Modular DIN Rail Products »

Residual Current Devices RCDs » Residual Current Devices RCDs

Ordering

EAN: 8012542894902

**Minimum Order Quantity:** 1 piece **Customs Tariff Number:** 85363030

**Dimensions** 

**Product Net Width:** 0.035 m **Product Net Height:** 0.085 m **Product Net Depth:** 0.069 m **Product Net Weight:** 0.200 kg

**Container Information** 

Package Level 1 Units: 1 piece Package Level 1 Width: 0.041 m Package Level 1 Height: 0.078 m Package Level 1 Length: 0.096 m Package Level 1 Gross Weight: 0.225 kg

Package Level 1 EAN: 8012542894902

**Technical** 

Standards: IEC EN 61008 **Operating Characteristic:** Instantaneous **Type of Residual Current:** AC type **Rated Residual Current:** 300 mA Rated Current (In): 40 A **Number of Poles:** 

Power Loss: Per Pole 2.4 W

**Certificates and Declarations (Document Number)** 

**Declaration of Conformity - CE:** ITSCE116F200

**Classifications** 

**Object Classification Code:** Q

1 of 2 7/10/2014 11:22 μμ ETIM 4.0: EC000003 - Residual current circuit breaker (RCCB)

ETIM 5.0: EC000003 - Residual current circuit breaker (RCCB)

2 of 2 7/10/2014 11:22 μμ





Reference: FH202AC-63/0,3 Code: 2CSF202003R3630

FH202 AC-63/0,3 - Residual Current Dev.

**Buy it at Electric Automation Network** 



The RCCBs FH200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous AC and A types is particularly suitable for installation in domestic applications.

#### Ordering

EAN:	8012542893202
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363030

#### **Dimensions**

Product Net Width:	0.035 m
Product Net Height:	0.085 m
Product Net Depth:	0.069 m
Product Net Weight:	0.200 kg

#### **Container Information**

Package Level 1 Units:	1 piece
Package Level 1 Width:	0.041 m
Package Level 1 Height:	0.078 m
Package Level 1 Length:	0.096 m

Package Level 1 Gross Weight:	0.225 kg
Package Level 1 EAN:	8012542893202

#### Technical

Standards:	IEC 61008
Operating Characteristic:	Instantaneous
Type of Residual Current:	AC type
Rated Residual Current:	300 mA
Rated Current (I <sub>n</sub> ):	63 A
Number of Poles:	2
Power Loss:	at Rated Operating Conditions per Pole 3.2 W

### Certificates and Declarations (Document Number)

#### Classifications

Object Classification Code:	Q
ETIM 4:	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5:	EC000003 - Residual current circuit breaker (RCCB)