Product datasheet

Specifications





AvatarOn, fused connection, 13A, 250V, neon, Dark grey

E8330FSGN_DG

Main

Range	AvatarOn
Product Or Component Type	Fused connection
Quantity Per Set	Set of 1

Complementary

Device Presentation	Complete product
Colour Tint	Dark grey
Pilot Light	neon indicator
Number Of Gangs	1 gang
Material	PC (polycarbonate) Steel Copper
Mounting Support	Wall mounted
Rated Current	13 A at 250 V AC 5060 Hz
Connections - Terminals	Screw terminals
Height	86 mm
Width	86 mm
Depth	38.2 mm
Ip Degree Of Protection	IP20
Fuse Type	Blade type

Environment

Standards

BS 1363

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	8.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	99.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10

Excluding VAT, FCA Jabal Ali & are subject to change - check with your local distributor.

Package 2 Height	9.5 cm	
Package 2 Width	19.0 cm	
Package 2 Length	19.5 cm	
Package 2 Weight	990.0 g	

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations