Product datasheet

Specifications





AvatarOn, fuse connection, 13A, 250V, neon, Wine Gold

E8330FSGN_WG

Main

Range	AvatarOn
Product Or Component Type	Fused connection
Quantity Per Set	Set of 1

Complementary

Device Presentation	Complete product
Colour Tint	Wine gold
Pilot Light	neon indicator
Number Of Gangs	1 gang
Material	Copper Steel PC (polycarbonate)
Mounting Support	Wall mounted
Rated Current	13 A at 250 V AC 5060 Hz
Connections - Terminals	Screw terminals
Height	86 mm
Width	86 mm
Depth	38.2 mm
Ip Degree Of Protection	IP20
Fuse Type	Blade type

Environment

Standards	BS 1363

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	99 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	8

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 2 Height	9.5 cm
Package 2 Width	9 cm
Package 2 Length	19.5 cm
Package 2 Weight	797 g
Unit Type Of Package 3	PAL
Number Of Units In Package 3	1728
Package 3 Height	110 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	187.502 kg



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations