Product datasheet

Specifications





AvatarOn, switch, 16AX, 250V, intermediate, Dark Grey

E8331M_DG

Main

Product Or Component Type	Switch	
Device Application	Control	
Load Type	Inductive Fluorescent lamp Incandescent lamp Resistive	
Colour Tint	Dark grey	
Colour Tint	r Tint Dark grey	

Complementary

Complete product	
16 AX at 250 V AC 50/60 Hz	
Intermediate	
1 gang	
1	
2 x 2.5 mm ² for solid cable(s)	
2 x 2.5 mm ² for stranded cable(s)	
3 x 1.5 mm ² for solid cable(s)	
3 x 1.5 mm ² for stranded cable(s)	
Brass terminal	
Polycarbonate: grid plate	
Polycarbonate: base	
Polycarbonate: dolly	
Polycarbonate: frame	
Polycarbonate + GF 20 %: actuator	
Flush	
Surface	
86 mm	
86 mm	
29.95 mm	
20.25 mm	

Environment

Ip Degree Of Protection	IP20
Maximum Ambient Air Temperature For Operation	35 °C
Operating Altitude	2000 m
Relative Humidity	095 %

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Environmental Characteristic	UV resistant	
Standards	GB 16915.1	
Packing Units		
Unit Type Of Package 1	PCE	
Number Of Units In Package 1	1	
Package 1 Height	leight 4.5 cm	
Package 1 Width	8.5 cm	

8.5 cm

109.0 g

Package 1 Length

Package 1 Weight

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

	Toxic Heavy Metal Free	
	Mercury Free	
9	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations