



AvatarOn, cover plate for switch, Metal Gold Hairline

E8331_GH

Main

Product Or Component Type	Cover plate	
Accessory / Separate Part Category	Mounting accessory	
Colour Tint	Metal gold hairline painted	
Type Of Packing	Flow-pack	
Main Colour Tint	Metal gold hairline	

Complementary

Colour Tint	Metal gold hairline	
Range Compatibility	AvatarOn switch	
Product Destination	Switch	
Number Of Rocker	1	
Material	PC (polycarbonate)	
Surface Finish	Glossy	
Surface Treatment	Untreated	
Device Mounting	Flush	
Height	86 mm	
Width	86 mm	
Depth	21 mm	
Embedding Depth	11.3 mm	
Net Weight	Veight 35 kg	

Environment

Ambient Air Temperature For Storage	-545 °C
Ambient Air Temperature For Operation	-545 °C
Product Certifications	CCC
Standards	GB 17466

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.1 cm

Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	39.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	439.0 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations