Product datasheet

Specifications





AvatarOn, cover plate for switch, 2 rocker, White

E8332_WE

Main

Product Or Component Type	Cover plate	
Accessory / Separate Part Category	Mounting accessory	
Colour Tint	White painted	
Type Of Packing	Flow-pack	
Main Colour Tint	White	

Complementary

Colour Tint	White	
Range Compatibility	AvatarOn switch	
Product Destination	Switch	
Number Of Rocker	2	
Material	PC (polycarbonate)	
Surface Finish	Glossy	
Surface Treatment	Untreated	
Height	86 mm	
Width	86 mm	
Depth	21 mm	

Environment

Ambient Air Temperature For Storage	-545 °C
Ambient Air Temperature For Operation	095 °C
Standards	IEC 60670 BS 5733

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.1 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	40.0 g
Unit Type Of Package 2	CAR

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	450.0 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

②	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations