

Overview

16-ch 1080p Lite 1U H.264 DVR.

Quick Specs

Table 1 shows the Quick Specs.

Product Code	DS-7216HGHI-F1/N
Video Compression	H.264+/H.264
Video Bit Rate	32 Kbps to 4 Mbps
Dual Stream	Support
Stream Type	Video, Video & Audio
Audio Compression	G.711u
Audio Bit Rate	64 Kbps

Product Details

DS-7216HGHI-F1/N provides these features and benefits:

- 16 channels and 1 HDD 1U DVR
- H.264+ / H.264 video compression
- Encoding ability up to 1080p lite @ 12 fps
- 5 signals input adaptively (HDTV/I/AHD/CVI/CVBS/IP)
- Up to 18 network cameras can be connected;

Get More Information

Do you have any question about theDS-7216HGHI-F1/N?

Contact us now via [Live Chat](#) or sales@router-switch.com.

Specification

DS-7216HGHI-F1/N Specification	
Recording	
Video Compression	H.264+/H.264
Encoding Resolution	When 1080p lite mode not enabled: 720p/WD1/4CIF/VGA/CIF When 1080p lite mode enabled: 1080p lite/HD 720p lite/WD1/4CIF/VGA/CIF
Frame Rate	Main stream: When 1080p lite mode enabled: 1080p lite/HD 720p lite/WD1/4CIF/VGA@12fps; CIF@25fps (P)/30fps (N) When 1080p lite mode not enabled: For 720p stream access: 720p/WD1/4CIF/VGA@12fps; CIF@25fps (P)/30fps (N) For SD stream access: WD1/4CIF/VGA/CIF@25fps (P)/30fps (N) Sub-stream: CIF/QVGA/QCIF@25fps (P)/30fps (N)

Video Bit Rate	32 Kbps to 4 Mbps
Dual Stream	Support
Stream Type	Video, Video & Audio
Audio Compression	G.711u
Audio Bit Rate	64 Kbps
Video And Audio	
IP Video Input	2-ch (up to 18-ch) Up to 960p resolution Support H.264+/H.264 IP cameras
Analog Video Input	16-ch BNC interface (1.0 Vp-p, 75Ω)
Network	
Remote Connections	128
Network Protocols	TCP/IP, PPPoE, DHCP, Hik-Connect, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, UPnP, HTTPS
Network Interface	1, RJ45 10M/100M self-adaptive Ethernet interface
Auxiliary Interface	
SATA	1 SATA interface
Capacity	Up to 6 TB capacity for each disk
Alarm In/Out	N/A
USB Interface	Rear panel: 2 × USB 2.0
General	
Power Supply	12 VDC
Consumption (Without HDD)	≤ 20 W
Working Temperature	-10 °C to 55 °C (14 °F to 131 °F)
Working Humidity	10% to 90%
Dimensions (W × D × H)	260 × 222 × 45 mm (10.2× 8.7 × 1.8 inch)

Want to Buy

- Order Now
- Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+

Countries we Sold



18,000+

Customers Trusted



\$20,000,000

Inventory Available



50%–98%

Off Global List Price



100%

Safe Online Shopping

Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: sales@router-switch.com