Product datasheet

Specifications





Card switch, AvatarOn, complete product, dark grey

E8331EKT_DG

Main

Range	AvatarOn
Product Or Component Type	Card switch
Device Application	Hotel
Load Type	Resistive
Colour Tint	Dark grey

Complementary

Device Presentation	Complete product
Rated Current	16 A at 250 V AC 50 Hz
Connections - Terminals	brass terminal
Clamping Connection Capacity	3 x 4 mm ² for solid cable(s) 3 x 4 mm ² for stranded cable(s) 2 x 2.5 mm ² for solid cable(s) 2 x 2.5 mm ² for stranded cable(s)
Status Led	LED (amber)
Material	Polycarbonate: plastic part
Device Mounting	Flush Surface
Width	86 mm
Height	86 mm
Depth	43.8 mm
Embedding Depth	34.1 mm

Environment

Ip Degree Of Protection	IP20
Ambient Air Temperature For Operation	040 °C
Ambient Air Temperature For Storage	00° 000
Ambient Air Temperature For Storage	℃ 00…0
Relative Humidity	095 %
Standards	IEC 60669-2-1

Packing Units

Unit Type Of Package 1

PCE

Number Of Units In Package 1	1
Package 1 Height	4.5 cm
Package 1 Width	8.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	128 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	48
Package 2 Height	21 cm
Package 2 Width	30 cm
Package 2 Length	39.5 cm
Package 2 Weight	7.474 kg

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information